

## USE OF THE SWEDAC SYMBOL BY CLIENTS WHO HAVE RECEIVED A SATISFACTORY VV OPINION FROM INTERTEK

Document #: F205-1-VV

Release Date: 13-FEB-2026

Page 1 of 2

The purpose of this document is to ensure proper use of SWEDAC logo issued by Intertek.

Organizations that have not received a satisfactory Verification or Validation (VV) Opinion from Intertek may under no circumstances use the SWEDAC symbol.

Organizations that have received a satisfactory Verification or Validation (VV) Opinion from Intertek under SWEDAC-accreditation may use the SWEDAC accreditation symbol only in conjunction with the Intertek symbol/mark on the organization's stationery, literature, and advertising, and is subject to the conditions outlined in this document and Intertek's rules as detailed in document F205-VV Use of VV Opinions and VV Services and Accreditation Marks. <https://www.intertek.com/business-assurance/policy-statement/>

An organization that has received a satisfactory Verification or Validation (VV) Opinion from Intertek under SWEDAC-accreditation, shall use only approved accreditation symbols provided by Intertek.

The SWEDAC accreditation symbol shall be reproduced on a background that will not impede readability:

- In either colour or black or white:
  - In blue with the colour CYMK 100.44.0.0, PMS 300, RGB 0.120.193 or HEX #0078c1, and in yellow with the colour CMYK 0.30.100.0, PMS 7409, RGB 253.185.19 or HEX #fdb913
  - or in black or white, against a background providing good contrast
- Alternatively, the symbol may be printed or displayed in a single colour, which is the predominant ink colour of the document, or, in the case of a pre-printed letterhead, the predominant colour of the letterhead
- In a size (normally a minimum height of 20mm) that makes all features of the symbol distinguishable
- In a size that does not imply a dominant position relative to the organization's name, mark or logotype. The reference to accreditation shall not be made in a manner suggesting that Swedac is responsible for the contents of the organization's statement or the performance of the work.
- Without distortion of its proportions

The size of the SWEDAC accreditation symbol must not exceed the size of Intertek's symbol.

The organization may not place the SWEDAC accreditation symbol in isolation from Intertek's symbol.





## USE OF THE SWEDAC SYMBOL BY CLIENTS WHO HAVE RECEIVED A SATISFACTORY VV OPINION FROM INTERTEK

Document #: F205-1-VV

Release Date: 13-FEB-2026

Page 2 of 2

See verification example below:



See validation example below:



SWEDAC's accreditation symbol shall not be used on a product or packaging or in such a way as to suggest that Intertek and/or SWEDAC have certified or approved any product, process, statement, claim or service of a certified organization, or in any other misleading manner.

SWEDAC's accreditation symbol shall not be used on a business card or in such a way as to suggest that Intertek and/or SWEDAC have certified or approved any person linked to any organization.

Revision #	Description of Change	Release Date
0	Initial Release	13-FEB-2026